

# PREVALENT MEDICAL CONDITION - ANAPHYLAXIS Plan of Care

## **STUDENT INFORMATION**

Student Name		Date Of Birth		
Age				
Teacher		Grade		Student Photo (optional)
	EMERGENCY CONT	ACTS (LIST	IN PRIORITY)	
1. Name	Relationship		Phone	Cell
2. Name	Relationship		Phone	Cell
3. Name	Relationship		Phone	Cell
	KNOWN LIFE-TH	REATENING	TRIGGERS	
	CHECK ( ) THE	APPROPRIATI	E BOXES	
Food(s):		☐ Insect Sting	JS:	
Other:				
It is an expectation	on that the student carr	y the Auto-inj	ector on their person at all t	imes.

## DAILY/ROUTINE ANAPHYLAXIS MANAGEMENT

#### **SYMPTOMS**

A STUDENT HAVING AN ANAPHYLACTIC REACTION MIGHT HAVE ANY OF THESE SIGNS AND SYMPTOMS:

- **Skin system**: hives, swelling (face, lips, tongue), itching, warmth, redness.
- **Respiratory system** (breathing): coughing, wheezing, shortness of breath, chest pain or tightness, throat tightness, hoarse voice, nasal congestion or hay fever-like symptoms (runny, itchy nose and watery eyes, sneezing), trouble swallowing.
- Gastrointestinal system (stomach): nausea, vomiting, diarrhea, pain or cramps.
- Cardiovascular system (heart): paler than normal skin colour/blue colour, weak pulse, passing out, dizziness or light headedness, shock.
- Other: anxiety, sense of doom (the feeling that something bad is about to happen), headache, uterine cramps, metallic taste.

#### EARLY RECOGNITION OF SYMPTOMS AND IMMEDIATE TREATMENT COULD SAVE A PERSON'S LIFE.

Avoidance of an allerge	en is the main way to prevent an allergic reaction.
Food Allergen(s): eatin	ng even a small amount of a certain food can cause a severe allergic reaction.
Safety measures:	
Food(s) to be avoided:	

Insect Stings: (Risk of insect stings is higher in warmer months. Avoid areas where sting3 lont6ls nhest or conregaste. Deastryt orremove.

# EMERGENCY PROCEDURES (DEALING WITH AN ANAPHYLACTIC REACTION)

ACT QUICKLY, THE FIRST SIGNS OF A REACTION CAN BE MILD, BUT SYMPTOMS CAN GET WORSE QUICKLY.

### **STEPS**

- 1. Give epinephrine auto-injector (e.g. EpiPen ) at the first sign of known or suspected anaphylactic reaction.
- 2. Call 9-1-1 or local emergency medical services. Tell them someone is having a life-threatening allergic reaction.
- 3. Give a second dose of epinephrine as early as five (5) minutes after the first dose if there is no improvement in symptoms.
- 4. Go to the nearest hospital immediately (ideally by ambulance), even if symptoms are mild or have stopped. The reaction could worsen or come back, even after treatment. Stay in the hospital for an appropriate period of observation as decided by the emergency department physician (generally about 4-6 hours).
- 5. Call emergency contact person; e.g. Parent(s)/Guardian(s).

**Healthcare provider may include:** Physician, Nurse Practitioner, Registered Nurse, Pharmacist, Respiratory Therapist, Certified Respiratory Educator, or Certified Asthma Educator.

Healthcare Provider's Name:	
Profession/Role:	
Signature:	Date:
Special Instructions/Notes/Prescription Labels:	
If medication is prescribed, please include dosage, frequency and method of administra administer applies, and possible side effects.  * This information may remain on file if there are no changes to the student's medical c	
AUTHORIZATION/PLAN REV	IEW
INDIVIDUALS WITH WHOM THIS PLAN OF CARE IS	TO BE SHARED
1. 2.	3.
4. 5.	6.
Other Individuals To Be Contacted Regarding Plan Of Care:	
Before-School Program Yes No	
After-School Program Yes No	
School Bus Driver/Route # (If Applicable)	
Other	

I/We hereby request that the Kawartha Pine Ridge District School Board, its employees or agents, as outlined, administer the above procedure to my/our child. The Kawartha Pine Ridge District School Board employees are expected to support the student's daily or routine management, and respond to medical incidents and medical emergencies that occur during school, as outlined in Board policies and administrative regulations. Parent(s)/guardian(s) and students acknowledge that the employees of the Kawartha Pine Ridge District School Board, who will administer the related procedures, are not medically trained. At all times it remains the responsibility of the



# PREVALENT MEDICAL CONDITION ASTHUMANDED OF CORO

☐ Smoke (e.g. tobacco, fire, cannabis, second-hand smo

		Plan of Care		
MININESSITION MI	STU	DENT INFORMATION	At Risk for Anaphyla	axis (Specify Allergen)
Student Name		Date Of Birth	7. R. NISK TOL 7. HIGH TYPE	and (openly rule igori)
Age				
Feacher		Grade		Student Photo (optional)
	EMERGENCY	CONTACTS (LIST IN PRIC	DRITY)	
I. Name				

## **DAILY ROUTINE ASTHMA MANAGEMENT**

## RELIEVER INHALER USE AT SCHOOL AND DURING SCHOOL-RELATED ACTIVITIES

A reliever inhaler is a fast-acting medication (usually blue in colour) that is used when someone is having asthma symptoms. It is an expectation that the student carry the reliever inhaler on their person at all times.

The reliever inhaler shall when student is ex		mptoms (e.g. trou	ble breathing, coughing, wh	neeizng)	
Other (explain):					
Use reliever inhaler				in the dose of	
Ose relievel illitatel		Name of Medicati	on	in the dose of	Number of Puffs
Spacer (valved holding	g chamber) provided?	Yes No	0		
Place a (9) check mark	k beside the type of rel	iever inhaler that	the student uses:		

### **EMERGENCY PROCEDURES**

#### IF ANY OF THE FOLLOWING OCCUR:

- Continuous coughing
- Trouble breathing
- Chest tightness
- Wheeing (whistling sound in chest)

(\*Student may also be restless, irritable and/or quiet.)

#### TAKE ACTION:

STEP 1: Immediately use fast-acting reliever inhaler (usually a blue inhaler). Use a spacer if provided.

STEP 2: Check symptoms. Only return to normal activity when all symptoms are gone.

If symptoms get worse or do not improve within 10 minutes, this is an **EMERGENCY!** 

Follow steps below.

### IF ANY OF THE FOLLOWING OCCUR:

- Breathing is difficult and fast
- Cannot speak in full sentences
- Lips or nail beds are blue or grey
- Skin or neck or chest sucked in with each breath

(\*Student may also be anxious, restless, and/or quiet.)

### THIS IS AN EMERGENCY:

STEP 1: IMMEDIATELY USE ANY FAST-ACTING RELIEVER INHALER (USUALLY A BLUE INHALER). USE A SPACER IF PROVIDED.

Call 9-1-1 for an ambulance. Follow 9-1-1 communication protocol with emergency responders.

STEP 2: If symptoms continue, use reliever inhaler every 5-15 minutes until medical attention arrives.

## While waiting for medical help to arrive:

- Have student sit up with arms resting on a table (do not have student lie down unless it is an anaphylactic reaction).
- Do not have the student breathe into a bag.
- Stay calm, reassure the student and stay by his/her side.
- Notify parent(s)/quardian(s) or emergency contact.

**Healthcare provider may include:** Physician, Nurse Practitioner, Registered Nurse, Pharmacist, Respiratory Therapist, Certified Respiratory Educator, or Certified Asthma Educator.

Healthcare Provider's Name:					
Profession/Role:					
Signature:	Date:				
Special Instructions/Notes/Preso	Special Instructions/Notes/Prescription Labels:				
administer applies, and possible	e include dosage, frequency and method of administration, or side effects. In file if there are no changes to the student's medical condition				
	AUTHORIZATION/PLAN REVIEW INDIVIDUALS WITH WHOM THIS PLAN OF CARE IS TO B	E SHARED			
1.	2.	3.			
4	5.	6.			
Other Individuals To Be Contact	ed Regarding Plan Of Care:				
Before-School Program	Yes □ No				

After-School Program

☐ Yes

This plan remains in effect for the 20 school year without change and will be reviewed on or before	
It is the parent(s)/guardian(s) responsibility to notify the principal if there is a need to change the plan of care	during the school year.
Parent(s)/Guardian(s):	
Authorization for the collection of this information is in the Education Act, the Municipal Freedom of Information Privacy Act, and the Personal Health Information Protection Act, as amended and as applicable. This form will period of one calendar year. Contact person concerning this collection is the school principal.	

	EMERGENCY CONTA	ACTS (LIST IN PRIORI	TY)	
1. Name	Relationship	Phone	Cell	
2. Name	Relationship	Phone	Cell	
3. Name	Relationship	Phone	Cell	
	TYPE 1 DIABE	TES SUPPORTS		

## DAILY/ROUTINE TYPE 1 DIABETES MANAGEMENT

ROUTINE	ACTION
BLOOD GLUCOSE MONITORING	Target Blood Glucose Range
Student requires trained individual to check BG/ read meter.	Time(s) to check BG:
Student needs supervision to check BG/	Contact Parent(s)/Guardian(s) if BG is
read meter.	Parent(s)/Guardian(s) Responsibilities:
$\square$ Student can independently check BG / read meter.	
Student has continuous glucose monitor (CGM)	School Responsibilities:
* Students should be able to check blood glucose anytime, anyplace, respecting their preference for privacy.	Student Responsibilities:
NUTRITION BREAKS	Recommended time(s) for meal/snacks:
Student requires supervision during meal times to ensure completion.	Parent(s)/Guardian(s) Responsibilities:
Student can independently manage his/her food intake.	
	School Responsibilities:
* Reasonable accommodation must be made to allow student to eat all of the provided meals and snacks on time. Students should not trade or share food/snacks with other students.	Student Responsibilities:
	Special instructions for meal days/special events:

ROUTINE	ACTION (CONTIN	IUED)		
DIABETES MANAGEMENT KIT	Kits will be available in different locations but will include:			
Parents must provide, maintain, and refresh supplies. School must ensure this kit is accessible all times. (e.g. field trips, fire drills, lockdowns) and advise parents when supplies are low.	<ul> <li>□ Blood Glucose meter, BG test strips, and lance</li> <li>□ Insulin and insulin pen and supplies</li> <li>□ Source of fast-acting sugar (e.g. j uice, candy, g</li> <li>□ Carbohydrate containing snacks</li> <li>□ Other (please list)</li> </ul>			
	Location of Kit:			
SPECIAL NEEDS	Comments:			
A student with special considerations may require more assistance than outlined in this plan.				

## **EMERGENCY PROCEDURES**

HYPOGLYCEMIA - LOW BLOOD GLUCOSE (4 mmol/L OR LESS) DO NOT LEAVE STUDENT UNATTENDED

This plan remains in effect for the 20 -20 school year without change and will be reviewed on or before:
(It is the parent(s)/guardian(s) responsibility to notify the principal if there is a need to change the plan of care during the change the cha
Authoriation for the collection of this information is in the Education Act, the Municipal Freedom of Information and Protection of



# PREVALENT MEDICAL CONDITION - EPILEPSY Plan of Care

## STUDENT INFORMATION

Student Name	Date Of Birth
Age	
Teacher	Grade Student Photo (optional)
EMERGENC	CY CONTACTS (LIST IN PRIORITY)
1. Name Relationship	Phone Cell
2. Name Relationship	Phone

DAILY/ROUTINE EPILEPSY MANAGEMENT					
DESCRIPTION OF SEIZURE (NON-CONVULSIVE)	ACTION:  (e.g. description of dietary therapy, risks to be mitigated, trigger avoidance.)				

## BASIC FIRST AID: CARE AND COMFORT

First aid procedure(s)	:	
Does student need to	leave classroom after a seizure?	☐ Yes ☐ No
If yes, describe proce	ess for returning student to classroo	m:

#### BASIC SEIZURE FIRST AID

- Stay calm and track time and duration of seizure
- Keep student safe
- Do not restrain or interfere with student's movements
- Do not put anything in student's mouth
- Stay with student until fully conscious

#### FOR TONIC-CLONIC SEIZURE:

- Protect student's head
- Keep airway open/watch breathing
- Turn student on side

## **EMERGENCY PROCEDURES**

Students with epilepsy will typically experience seizures as a result of their medical condition.

#### Call 9-1-1 when:

- Convulsive (tonic-clonic) seizure lasts longer than five (5) minutes.
- Student has repeated seizures without regaining consciousness.
- Student is injured or has diabetes.
- Student has a first-time seizure.
- Student has breathing difficulties.
- Student has a seizure in water.
- \* Notify parent(s)/guardian(s) or emergency contact.

Healthcare provider may include:		

This plan remains in effect for the 20   -20   school year without change and will be reviewed on or before:					
(It is the parent(s)/guardian(s) responsibility to notify the principal if there is a need to change the plan of care dueirs@thool year.)					
Parent(s)/Guardian(s):	Date:				
Student:	Date:				
Principal:	Date:				

Authorization for the collection of this information is in the Education Act, the Municipal Freedom of Information and Proteofi Privacy Act, and the Personal Health Information Protection Act, as amended and as applicable. This form will be keptiforum period of one calendar year. Contact person concerning this collection is the school principal.



# GENERAL HEALTH CONCERNS Plan of Care

## STUDENT INFORMATION

Student Name	Date Of Birth	
Age		
Teacher	Grade	Student Photo (optional

## DAILY/ROUTINE MANAGEMENT

OVANDTOM DECODIDATION	ACTION			
SYMPTOM DESCRIPTION:	ACTION:  (e.g. description of dietary therapy, risks to be mitigated, trigger avoidance.)			
MEDICATION(S):	LOCATION/TREATMENT:			
BASIC FIRST AII	D: CARE AND COMFORT			
First aid procedure(s):				
EMERGEN	CY PROCEDURES			
Students who require emergency medical assistance as a result of their medical condition:				
Call 9-1-1 when:				

<sup>\*</sup> Notify parent(s)/guardian(s) or emergency contact.

Healthcare provider may include: Physician, Nurse Practitioner, Registered Nurse, Pharmacist, Respiratory Therapist, Certified Respiratory Educator, or Certified Asthma Educator. Healthcare Provider's Name: Professional/Role: Signature: Date: Special Instructions/Notes/Prescription Labels: If medication is prescribed, please include dosage, frequency and method of administration, dates for which the authorization t administer applies, and possible side effects. \* This information may remain on file if there are no changes to the student's medical condition. **AUTHORIZATION/PLAN REVIEW** INDIVIDUALS WITH WHOM THIS PLAN OF CARE IS TO BE SHARED 6. Other Individuals To Be Contacted Regarding Plan Of Care: Before-School Program ☐ Yes ☐ No After-School Program ☐ Yes ☐ No School Bus Driver/Route # (If Applicable)

I/We hereby request that the Kawartha Pine Ridge District School Board, its employees or agents, as outlined, administer@the ab procedure to my/our child. The Kawartha Pine Ridge District School Board employees are expected to support the studen@s daily routine management, and respond to medical incidents and medical emergencies that occur during school, as outlined in Boardspol and administrative regulations. Parent(s)/guardian(s) and students acknowledge that the employees of the Kawartha Pine Ridge D School Board, who will administer the related procedures, are not medically trained. At all times it remains the responsibilitie parent(s)/guardian(s) to ensure that clear instructions and current physician's orders are provided to the principal.

Other:

This plan remains in effect for the 20 -20 school year without change and will be reviewed on or before:
(It is the parent(s)/guardian(s) responsibility to notify the principal if there is a need to change the plan of care ducing thool year.)
Authorization for the collection of this information is in the Education Act, the Municipal Freedom of Information and Proteofi
Privacy Act, and the Personal Health Information Protection Act, as amended and as applicable. This form will be keptiforum period of one calendar year. Contact person concerning this 6ng this 6ng tis fns fom



## KAWARTHA PINE RIDGE DISTRICT SCHOOL BOARD

## ADMINISTRATION OF MEDICATION LOG Confidential

					Date Of Birth		
Guardia	n				Home Teleph	none	
[					Business Tel	ephone	
					Postal Code		
[					Teacher/Plac	ement	
ne [					Physician's T	elephone	,
Tim	ne	Medication	Dosage	Signatu Admi	re of Person nistering		Comments
	e	Guardian	e	e	e Signatu	Guardian  Home Teleph  Business Tele  Postal Code  Teacher/Place  Physician's T	Business Telephone  Postal Code  Teacher/Placement  Physician's Telephone  Signature of Person